


TWIG PATH WAY

Twig Path Way zeichnet sich durch ein klares, reduziertes Design aus und verfügt über einen um 45° geneigten Leuchtenkopf, der speziell für eine präzise und effiziente Ausleuchtung von Gehwegen, Pfaden und Verkehrsflächen entwickelt wurde. Die gezielte Lichtverteilung verbessert den Sehkomfort und die Orientierung, während Blendung und Streulicht minimiert werden. Twig Path Way fügt sich harmonisch in architektonische und landschaftliche Umgebungen ein und bietet eine dezente, zugleich wirkungsvolle Beleuchtungslösung für den Außenbereich.



2700K | 850MM

LAMPING

Source	LED
Total power	1W
Emission	symmetric 36°
Switching	according to driver
Tension	max 350mA
Color temperature	2700K
Typ CRI	>90
IP class	65
Materials	aluminium / brass
Accessories	Peg, Peg About outdoors


Codes

TWP450111DBNE
TWP450111DBVE
TWP450111DBGA
TWP450111DBRB
TWP450111DBCG

Structure

Ink Black
Pine Green
Anthracite
Rust Brown
Cetonia Green

Certificazioni



3000K | 850MM

LAMPING

Source	LED
Total power	1W
Emission	symmetric 36°
Switching	according to driver
Tension	max 350mA
Color temperature	3000K
Typ CRI	>90
IP class	65
Materials	aluminium / brass
Accessories	Peg, Peg About outdoors

Codes

TWP450111WBNE
TWP450111WBVE
TWP450111WBGA
TWP450111WBRB
TWP450111WBCG

Structure

Ink Black
Pine Green
Anthracite
Rust Brown
Cetonia Green

Certificazioni

