


TWIG PATH WAY

Twig Path Way, caratterizzato da un design pulito ed essenziale, presenta una testa inclinata a 45° progettata specificamente per offrire un'illuminazione precisa ed efficiente lungo camminamenti, percorsi e aree di transito. La distribuzione della luce, accuratamente orientata, migliora il comfort visivo e l'orientamento, riducendo al contempo l'abbagliamento e la dispersione luminosa. Twig Path Way si integra armoniosamente in contesti architettonici e paesaggistici, offrendo una soluzione di illuminazione discreta ma efficace per gli spazi esterni.



2700K | 850MM

LAMPING

Source	LED
Total power	1W
Emission	symmetric 36°
Switching	according to driver
Tension	max 350mA
Color temperature	2700K
Typ CRI	>90
IP class	65
Materials	aluminium / brass
Accessories	Peg, Peg About outdoors


Codes

TWP450111DBNE
TWP450111DBVE
TWP450111DBGGA
TWP450111DBRB
TWP450111DBCG

Structure

Ink Black
Pine Green
Anthracite
Rust Brown
Cetonia Green

Certificazioni



3000K | 850MM

LAMPING

Source	LED
Total power	1W
Emission	symmetric 36°
Switching	according to driver
Tension	max 350mA
Color temperature	3000K
Typ CRI	>90
IP class	65
Materials	aluminium / brass
Accessories	Peg, Peg About outdoors

Codes

TWP450111WBNE
TWP450111WBVE
TWP450111WBGA
TWP450111WBRB
TWP450111WBCG

Structure

Ink Black
Pine Green
Anthracite
Rust Brown
Cetonia Green

Certificazioni

